

## Grounds Selection Suggestions

In selecting grounds for a state campout, keep some of these guidelines in mind. Items marked "\*" are musts and will be required before a bid will be awarded.

- A. Grounds should be able to be secured so as to keep unwanted persons from entering while our campout is being held.
- B. Grounds should be relatively level to make it fairly easy for members to level their units.
- \*C. Grounds should be of sufficient size to meet the anticipated attendance and outdoor commercial needs.
- \*D. There should be adequate buildings to meet the needs of:
  - 1. Adult hospitality
  - 2. Indoor commercial
  - 3. Teens
  - 4. Youth
  - 5. Grandstand or suitable building for:
    - a. Saturday evening program.
    - b. Teen or Youth contests.
    - c. Church services.
    - d. Sunday MSA meeting.
  - 6. Other possible needs by specialized Chapters.
- \*E. There should be room and suitable places to hold the various athletic contests on the grounds or in a place close to the grounds.
- \*F. There shall be adequate water on the grounds to meet the minimal needs of the campers, the needs of commercial and restroom facilities. Local health department requirements must be met.
- \*G. There must be adequate electricity on the grounds to meet the needs of commercial, building lighting, limited handicapped and host units, sound equipment and other needs.
- H. There should be sufficient space to hold the desired number of units in 30' x 40' lots. Use 25 foot minimum roadways.
- I. There should be electrical service available to all units for minimal electrical needs.